
Current and planned e-labeling Initiatives in Taiwan


Yang, Po-Wen Section Chief, Division of Medicinal Products, Taiwan FDA



Importance of drug labeling



Information technology in drug labeling









The first generation of Drug License Online Search System (1/3)

• Established in 2006

4



The first generation of Drug License Online Search System (2/3)



The first generation of Drug License Online Search System (3/3)



Drug License

Holder


6

WHEN LEADER	- 1222	Silver and	-
	Lawrence	HE SHARE SHOW THE	51 30
AND A CONTRACTOR	· 210-11	MARCE SHOW	2 10 10
1077 Lawrence and		State of the second	111 111
		ALC: NOT ALL	The Street and
BO MARCONGERS	100000000000000000000000000000000000000		E WW
ER The state of the	Action Comm	BORNEY.	F- 88
	manual Constant	SA MARANA	When any hope one times
	Hellington and	phase and and the	
1 H H	CONTRACT AND ADDRESS OF ADDRESS O	Statistics and	
Programmed in the	differences	State State Providence in the	
a	CONTRACTOR OF A PARTY	Part processing states	
=	Contraction of the		Egger anteranto.co
REN'IKI	同時時代		Thomas wants and the
*	COLLECTION OF THE OWNER		Stratter, or and
	and parameters a second second		There exercise 1/2

Pdf files of

drug e-labeling

- New application approval
- Labeling changes



The first generation of Drug License Online Search System



Medicine Scan (藥掃描) APP

- Established in 2015
- Smartphone-Based Barcode Scanning





- The second generation of Drug License Online Search System
- Computerized structured format of drug e-labeling



User-friendly interface






Computerized structured format of drug e-labeling

 Establish a machine–readable format, such as XML format

9





Create a structured drug e-labeling

Pharmaceutical companies are supposed to follow the format established by the TFDA.

• Method 1:

Upload through the platform

0	O 4 用法用量	+ 新增優週內容 + 新增項交 問紅框 □ 紅字 □ 租黑字
•	● 5 警語	+ 新增機題內容 + 新増現文 ■紅框 □紅字 □ 相黒字
Ĩ	5.1 服用本藥後,若有發生以下副作用,請立即停止使用,並持此說明諮詢醫師藥師藥剛生	S + 新墳項次內容 + 新墳子項次
	5.2 服用本藥後,若有發生以下症狀時,請立即停止使用,並接受醫生診治	 +新增項次内容 +新増子項次


 Method 2: Upload directly (through XML file)






User-friendly interface

11



Prospects for the application of drug e-labeling



Removal of the paper labeling from the package




Rx

1200

Food and Drug Adr

Plan and Action





Thank you for your attention.

