

# A Role of ECDD in Leading Natural Products for Drug Discovery and Development in Thailand




Suparerk Borwornpinyo, Founder and Director Excellent Center for Drug Discovery (ECDD), Mahidol University

13<sup>th</sup> April 2021




Approximately more than 60% of drugs available on the market today are derived from chemical structures found in nature.





# NPDD Ecosystem in Asia: An Open Innovation Platform





# APAC DA-EWG: Pillar 5 Drug Discovery using Natural Product



# **Preparation for Pilot Project**


# Internship for technology transfer (Bilateral communication)

- 4 month (February-May, 2019) internship at Takeda Shonan Research Center (tech-transfer & capacity building)
- Mr. Phongthon Kanjanasirirat (ECDD, Mahidol University)




Overall scheme of the NPDD initiative with Thai institutions Capacity building through phenotypic screening

iPark/Japan







# **iPSC-derived MN cell death assay project**



## Motor neuron (MN) deficiency






ote: SMI-32 = Neurofilament H Hoechst = Nucleus Scale bar = 25 um

### ECDD High-Throughput and High-Content Screening Platform





established in 2016: TCELS-Mahidol University (SC and MD Ramathibodi Hospital)








## Motor neuron cell death assay

### Methodology

- Cell numbers: 7,500 cells/well
- Concentration of compounds for screening:
  - Crude extract = 10 µg/ml
  - Purified compound =  $10 \mu M$
  - Synthesis compound = 10 µM









## Motor neuron cell death assay

#### The Results of an anti-MN cell death screening



- Positive control
- Negative control
- Compounds
- Ferrostatin-1




Reproducibility analysis

**Z-factor = 0.688** 



# **iPSC-derived MN cell death assay project**


## Screening Process







# Flow of collaboration, decision, plans and actions





### **First priority selection (IC50 < 0.1 for cellular MOA assay)**

	No.	Compounds	IC50 MN	IC50 MOA assay	
	1	ECDD-DPM-N924	6.77	non-effective	
	2	ECDD-DPM-N937	3.06	non-effective	
	3	ECDD-DPM-S186	3.06	6.56	
	4	ECDD-DPM-S189	5.95	4.87	
	5	ECDD-DPM-S192	non-effective	16.97	
	6	ECDD-DPM-S195	1.2	4.45	
	7	ECDD-DPM-S230	3.32	non-effective	
	8	ECDD-DPM-E971	non-effective	non-effective	
	9	ECDD-DPM-E1095	5.69	non-effective	
	10	ECDD-DPM-E1168	1.85	non-effective	
	11	ECDD-DPM-E1171	0.05	non-effective	
	12	ECDD-DPM-E1183	1.46	9.26	
	13	ECDD-DPM-E1204	0.38	non-effective	
	14	ECDD-DPM-E1211	3.53	non-effective	
	15	ECDD-DPM-E1215	9.52	non-effective	
	16	ECDD-DPM-S685	non-effective	7.57	
	17	ECDD-DPM-S777	3.13	non-effective	]
_	18	ECDD-DPM-S443	0.08	3.25	
	19	ECDD-DPM-S461	0.63	non-effective	
	20	ECDD-DPM-S465	0.33	non-effective	

No.	Compounds	IC50 MN	IC50 MOA assay	
21	ECDD-DPM-N131	non-effective	non-effective	
22	ECDD-DPM-N190	0.2	1.47	
23	ECDD-DPM-N197	3.54	6.11	
24	ECDD-DPM-N664	3.54	non-effective	
25	ECDD-DPM-N745	0.12	non-effective	רא⊂
26	ECDD-DPM-E278	0.07	0.52	
27	ECDD-DPM-E326	0.24	non-effective	
28	ECDD-DPM-E329	0.06	non-effective	☆
29	ECDD-DPM-E651	5.15	non-effective	
30	ECDD-DPM-E691	10.44	non-effective	
31	ECDD-DPM-E707	0.66	non-effective	
32	ECDD-DPM-E760	non-effective	non-effective	
33	ECDD-DPM-E824	2.91	4.44	
34	ECDD-DPM-E825	5.05	non-effective	
35	ECDD-DPM-E829	non-effective	non-effective	
36	ECDD-DPM-E831	2.86	non-effective	
37	ECDD-DPM-E865	non-effective	non-effective	
38	ECDD-DPM-E868	7.31	non-effective	
39	ECDD-DPM-E869	3.64	non-effective	
40	ECDD-DPM-E873	3.51	non-effective	





#### Prof. Wanchai De-Eknamkul





#### Dr. Lily Eurwilaichitr





#### Assoc. Prof. Dr. Surat Laphookhieo






Prof. Patoomratana Tuchinda




# Flow of collaboration, decision, plans and actions





# Flow-chart for Initiation of target deconvolution






**Dr. Sitthivut Charoensutthivarakul** School of Bioinnovation, Mahidol University






Thermal shift assay

# Plan the experiment for target deconvolution





15

A **thermal shift assay** (**TSA**) measures changes in the thermal denaturation temperature. Upon heating a protein will encounter a temperature at which it denatures, referred to as the melting point. This melting temperature is a physical property and a constant for any given set of conditions. Compounds that interact with a protein will change the melting temperature (thermal shift).



# Plan the experiment for target deconvolution

PROFILE

• Experimental workflow



The **CE**llular Thermal **S**hift **A**ssay is a method that allows the quantification of a compound's target engagement within living cells or in disrupted cells.

The CETSA principle is based on the change in thermal denaturation profile of the target protein that occurs following the binding of a compound. However, in contrast to traditional Therma Shift Assay, that are carried out in highly purified and isolated systems monitoring a single protein species, CETSA can be performed in complex protein samples and in live cells.

The CETSA is performed by incubating the cells with the test compound, followed by heating of the compound-treated cells, and then by measuring the remaining soluble target protein.


There are three main formats in the CETSA technology platform. Two of the formats, CETSA Classics and CETSA High Throughput (HT) are both targeted CETSA methods for confirming target engagement of a single known protein target using antibodies for the quantification. The third format, CETSA MS, is proteome-wide measurement of cellular target engagement using mass spectrometry.





# Plan the experiment for target deconvolution

• CETSA-MS



MS-based CETSA<sup>®</sup> for target deconvolution in phenotypic drug discovery

The antibody-based readout enables CETSA to measure the stability shifts of different target proteins in a protein mixture, while this method requires prior knowledge of interested targets. Thus, it is not suitable for unbiased drug target discovery and also cannot be conducted at proteome scale.

To solve these problems, The Cellular thermal shift assay followed by MS (CETSA-MS) allows for an unbiased search of drug targets and can be applied in living cells without requiring compound labeling.


To date CETSA-MS has been used in several studies for target deconvolution, which have both confirmed previously known compound – target interactions and discovered new ones.

https://www.sciencedirect.com/science/article/pii/S0968089619309174





# Flow of collaboration, decision, plans and actions



# NPDD Ecosystem in Asia: An Open Innovation Platform

